



[Knowledge base](#) > [Administration](#) > [Functions](#) > [Automated communication](#)

Automated communication

Ester Andersson - 2025-12-23 - [Functions](#)

The automated communication function is under the "Communications" tab in the project menu. There are two additional tabs under the "Communications" tab: "Scheduled Tasks" and "Communication History". In this article, we will focus on "Scheduled tasks" which is where you can create automatic messages.

- [Using Automated Communication](#)
- [Variables for emails sent to project team members](#)
- [Variables for emails sent to participants](#)
- [Some great messages](#)

The automated communication function can be used to send out automated emails to your participants, instructors, or specific email recipients. So if you are looking for automating email management- this function is for you!

Tips: when creating an automated communication, it can be good to think of what you want to achieve with the specific trigger that you set up. Do you want participants to receive a reminder if they have not finished a course after 7 days, or do you want an instructor to receive an email when they have completed the course?

Using Automated Communication

These are the steps needed to schedule an automated message.

1. Click on "Add Message" and name the message. **Please be as clear as possible when choosing a name, as this name will only be visible to administrators. **In this example, we are choosing the name "Message sent to everyone who hasn't logged in 7 days after invitation".
2. Set the trigger/s. You can choose to add triggers under "Matching ALL of these rules" or "Matching ANY of these rules". What you choose depends on your needs. In this example, we will choose "Matching ALL of these rules" as we want the participant to check all rules to receive the message.

These are triggers you can choose between:

- **Activity**
 - Status
 - Success
- **Module**

- Status

- **Participant**

- First seen
- Last seen
- Last email
- Activated
- Access expired
- Status
- Source
- Waitlist
- Number of logins

- **Event**

- Start date
- End date
- Event type
- Calendar invitation response

- **Date**

- Date and time

In this example, we are choosing the two following triggers:


- Participant → Activated → Exactly → 7 days ago
- Participant → Number of logins → Exactly → 0

The screenshot shows the 'Set the trigger' step of an automation workflow in the Learnifier interface. The top navigation bar includes 'Dashboard', 'Projects', 'Users', 'Library', 'Reports', 'Automations', and 'Settings'. The 'COMMUNICATIONS' tab is active. Below the navigation bar, there are buttons for 'Edit course', 'Preview', 'Delete', and 'Copy'. The main content area has two tabs: 'Scheduled Tasks' and 'Communication History'. The 'Set the trigger' step is highlighted with a blue border. It shows a message name 'Message sent to everyone who hasn't logged in 7 days :', a 'Deactivated' status, and a 'Cancel' button. Below this, there are two rule sets: 'Matching ALL of these rules' and 'Matching ANY of these rules'. The 'ALL' rule set is active and shows two rules: 'Activated' (Activated is 7 days ago) and 'Number of logins' (Number of logins is 0). There is an 'Add a rule' button next to the 'Number of logins' rule. The 'ANY' rule set is currently empty. At the bottom of the step, there is a 'Select your channel' section with the option 'Email' selected. A 'Done' button is visible in the top right corner of the step.


1. **Select your channel** (this is where you choose in which way the message should be sent to the recipient/s). In this example, we are choosing "Email".

The screenshot shows the 'Select your channel' step of an automation workflow in the Learnifier interface. The top navigation bar is the same as the previous screenshot. The 'COMMUNICATIONS' tab is active. Below the navigation bar, there are buttons for 'Edit course', 'Preview', 'Delete', and 'Copy'. The main content area has two tabs: 'Scheduled Tasks' and 'Communication History'. The 'Select your channel' step is highlighted with a blue border. It shows a summary of the trigger: 'ALL: Activated is 7 days ago, Number of logins is 0'. Below this, there are two channel options: 'Email' (Delivered to the participant's inbox. Customize with your own templates.) and 'SMS' (Delivered to the participant's mobile. Use with moderation.). The 'Email' option is selected and highlighted with a blue border. A 'Done' button is visible in the top right corner of the step. Below the channel selection, there is a 'Choose your audience' section with the option 'Participant' selected. A 'Write your message' section is partially visible at the bottom.

1. **Choose your audience** (this is where you decide to whom the message will be sent). In this example, we are choosing "Participant".




1. **Write your message** (you can choose if you want to use an email template or if you want to write a custom message). Read more [here](#) about where you can create your own email template. In this example, we are creating a custom message.



1. Set a start date and a stop date (it is automatically set to 20 years forward).

2. Save the settings for this automatic message by clicking on the button "Save and Close".
3. If you want the message activated, click "Activate".



1. All done!

Variables for emails sent to project team members

This article describes the variables that are available for use in emails sent to project team members or instructors using the automated communication function.

The general form of using a variable is to enclose the variable name in the form `${name}`. So if a variable is named *example* it would be used in a template written like this: `${example}`. The email templates support default values. A default value can be used when a variable is undefined. Use `:-` after the variable to specify a default value. Given `${name:-Happy User}`, the text *Happy User* will be the output if the variable *name* is not specified.

All variables starting with "participant" are variables that output values related to **whom** the rule matched for, not the **recipient** (who is the project team members or instructors). If an automated communication is set up to send a message to the project team when a participant has completed a particular activity, `${participantName}` refers to the participant.

The following variables are available:

Name	Description	Example
<code>\${projectName}</code>	The title shown to participants.	Induction Program

Welcome to your learning experience. This program will help you focus energy on purposeful action, assist in solutions to persistent problems, and improve overall performance. The assignments on this page will help you make the most out of the face-to-face learning session and ultimately increase your ability to achieve your goals and aspirations.		
<code>\${projectDescription}</code>	The project description from the course design	
<code>\${projectAdministrativeName}</code>	The administrative project name. This is the name visible in the client portal	Induction Program for Sales People Q1 2019.
<code>\${locale}</code>	The user's preferred locale	en_US
<code>\${usersite}</code>	A URL to the generic login page where a user can log in. The page will contain a login form.	https://yourdomain.learnifier.com/
<code>\${orgname}</code>	The name of the client	Acme Inc.
<code>\${name}</code>	The recipient's full name (both first and last name)	Irene Instructor
<code>\${firstName}</code>	The recipient's first name (given name)	Irene
<code>\${lastName}</code>	The recipient's last name (surname)	Instructor
<code>\${userid}</code>	The numerical user id. Can be used for referencing a specific user.	132819
<code>\${email}</code>	The recipient's primary email	mailto:irene.instructor@example.com
<code>\${participantName}</code>	The participant's full name (both first and last name)	Jane Doe
<code>\${participantFirstName}</code>	The user's first name (given name)	Jane
<code>\${participantLastName}</code>	The participant's last name (surname)	Doe
<code>\${participantUserid}</code>	The numerical user id. Can be used for referencing a specific user.	132819
<code>\${participantEmail}</code>	The participant's primary email	mailto:jane.doe@example.com
<code>\${date.short}</code>	The current date is in different date formats. The format is taken from the project	1/1/22
<code>\${date.medium}</code>		2022-01-01
<code>\${date.long}</code>		Tuesday, January 1, 2022
<code>\${date.full}</code>		
<code>\${datetime.short}</code>	The current date and time are in different date formats. The format is taken from the project	1/1/22 3:00 PM
<code>\${datetime.medium}</code>		2022-01-01 15:00
<code>\${datetime.long}</code>		3 o'clock Tuesday, January 1, 2022
<code>\${datetime.full}</code>		

Variables for emails sent to participants

This article describes the variables that are available for use in emails sent to the participant

The general form of using a variable is to use enclose the variable name in the form `${name}`. So if a variable is named *example* it would be used in a template written like this: `${example}`. **The email templates support default values. A default value can be used when a variable is undefined. Use ":-" after the variable to specify a default value.** Given `${name:-Happy User}` the text *Happy User* will be the output if the variable *name* is not specified.

A participant mail is sent when a user is activated or a reminder is sent via automated communication. It usually contains information about the user, course, and where the user should go to access the platform.

The following variables are available:

Name	Description	Example
------	-------------	---------

<code>\${projectName}</code>	The title shown to participants.	Induction Program
<code>\${projectAdministrativeName}</code>	The project title.	Induction Program 2020
<code>\${projectDescription}</code>	The project description from the course design	Welcome to your learning experience. This program will help you focus energy into purposeful action, assist in solutions to persistent problems, and improve overall performance. The assignments on this page will help you make the most out of the face-to-face learning session, and ultimately increase your ability to achieve your goals and aspirations.
<code>\${locale}</code>	The user's preferred locale	en_US
<code>\${usersite}</code>	A url to the generic login page where a user can login. The page will contain a login form.	https://yourdomain.learnifier.com/
<code>\${orgname}</code>	The name of the client	Acme Inc.
<code>\${linkid}</code>	The participation specific part of a participation login link	
<code>\${name}</code>	The user's full name (both first and last name)	Jane Doe
<code>\${firstName}</code>	The user's first name (given name)	Jane
<code>\${givenName}</code>	The user's first name. Please use firstName instead	Jane
<code>\${lastName}</code>	The user's last name (surname)	Doe
<code>\${surname}</code>	The user's last name. Please use lastName instead	Doe
<code>\${userid}</code>	The numerical user id. Can be used for referencing a specific user.	132819
<code>\${partid}</code>	The participation id. Can be used for referencing a specific user's participation id.	10921679
<code>\${email}</code>	The user's primary email	mailto:jane.doe@example.com

<code>\${loginlink}</code>	<p>A raw url link to a participation login link. In most scenarios accesslink is a better choice.</p>
<code>\${accesslink}</code>	<p>A link with associated html code to make it clickable</p> <pre data-bbox="719 398 1331 472">http://yourdomain.learnifier.com/l/fdslfjdskfsjdl</pre>

Some great messages

Encouraging message sent to participants who have completed an activity

- Activity → is completed

Audience: participant

Reminder to participants who haven't logged in seven days after receiving an invitation (only works for participants who have never been logged in before). Choose "Status" is "Not started" to notify users who have been logged in previously.

- Participant → Activated → is 7 days ago
- Number of logins → is 0

Audience: participant

Message to the team manager when a team member has completed a quiz

- Activity → Quiz → is completed

Audience: team manager

Message sent to the participant when an event is 2 days away and the participant has responded "Accepted"

- Event → Start date → is 2 days away
- Event → Calendar invitation response → is accepted

Audience: participant

Message sent to team manager when a member is activated via automation

- Participant → Source → is Automation
- Participant → Status → is Activated

Audience: team manager

Related Content

- [The waitlist](#)
- [Email templates](#)
- [Assignment Upload](#)
- [Automations](#)