


Kunskapsbas > API, SAML, integrationer och allmänna inställningar > How to set up SCIM

## How to set up SCIM

Ester Andersson - 2024-09-06 - API, SAML, integrationer och allmänna inställningar

To follow the instructions below, ensure you've received the secret token from Learnifier.


- 1. Go to Azure and open Microsoft Entra ID.
- 2. Locate "Enterprise applications".



1. Select "New application".




1. Create your own application, name the app, and select "Integrate any other application you don't find in the gallery (non-gallery)".



## **Manage** → **Provisioning**:


- 1. Provisioning mode: "Automatic"
- 2. Admin credentials:
- 3. Tenant URL: "https://kund.learnifier.com/api/scim"
- 4. Secret token: "API key"
- 5. Test the connection.




**Note**: If there is an error during synchronization, you can set up notifications for who should receive messages.

## Next step after saving:

- 1. Go to "Mappings".
- 2. Set up groups and users that you want to transfer.





Note: If you wish to set up more fields on a user, we first need to do it on our site.

1. Activate (change from "Off" to "On").

,	. «	☐ Save × Discard	
① Overview  2 Provision on demand  ✓ Manage	- "	Provisioning Mode Automatic  Use Microsoft Entra to manage the creation and synchronization	V
<ul> <li>Provisioning</li> <li>Users and groups</li> </ul>		assignment.	on or user accounts in the Schill based on user and group
<ul><li>Expression builder</li><li>Monitor</li></ul>		✓ Admin Credentials	
<ul><li>♣ Provisioning logs</li><li>■ Audit logs</li><li>♥ Insights</li><li>&gt; Troubleshoot</li></ul>		Mappings     Mappings     Mappings     Mappings allow you to define how data should flow between Microsoft Entra ID and customappss.     Name Enabled	
		Provision Microsoft Entra ID Groups Provision Microsoft Entra ID Users	Yes Yes
		Restore default mappings	
		△ Settings	
		Send an email notification when a failure occurs  Prevent accidental deletion  Scope  Sync only assigned users and groups	<b>v</b>
		Provisioning Status ① On Off	